Copyright © 2015 by MultiOne Sr. All hights reserved. No part of this publication may be reproduced, distribuled, or transmitted in any form or by any means. The information and images in this document are provided for illustrative purposes only and do not bind the manufacturer, who reserves the right to make modification at any form or by any means. The information and images in this document are provided for illustrative purposes only and do not bind the manufacturer, who reserves the right to make modification at any fine without prior warning.

AUGER

http://tiny.cc/auger



FEATURES & BENEFITS

 Wide range of auger drive units with different torques enables efficient use of 10 cm (4 in) to 100 cm (40 in) augers

• Augers with tungsten teeth available

The powerful hydraulic auger drive unit, combined with various auger diameters, provide excellent flexibility in all soil types.

The auger drive is available in three versions:

- T1 for normal soil conditions
- T2 for hard, rocky ground, used with augers up to 50 cm (20 in)
- T3 for hard, rocky ground, used with augers up to 100 cm (40 in)



Model	Torque	Drills	Weight	Code	Price
T1 – standard drive unit	100 kgm	10-50 cm (4 - 19.7 in)	90 kg (198 lbs)	C890830	
T2 – heavy duty drive unit	180 kgm	10-50 cm (4 - 19.7 in)	110 kg (242 lbs)	C890831	
T3 – heavy duty drive unit	400 kgm	30 - 100 cm (11.8 - 39.4 in)	150 kg (331 lbs)	C890832	

Compatibility	MA	Sit	231	1128	3	Ş	6,5	くぶ	8/4	97835	51840	05,00	0,00	10
Auger														
T1														
T2														
T3														
						1/0		hla		Campatible	•	NI	at aamaati	hla



OPTIONS FOR AUGER

Heavy Duty Auger Drill	Diameter	Length	Weight	Code	Price
10	10 cm (4 in)	100 cm (39.4 in)	10 kg (22 lbs)	C890840	
15	15 cm (6 in)	100 cm (39.4 in)	15 kg (33 lbs)	C890841	
20	20 cm (7.9 in)	100 cm (39.4 in)	20 kg (44 lbs)	C890842	
25	25 cm (9.8 in)	100 cm (39.4 in)	30 kg (66 lbs)	C890843	
30	30 cm (11.8 in)	100 cm (39.4 in)	35 kg (77 lbs)	C890844	
35	35 cm (13.8 in)	100 cm (39.4 in)	40 kg (88 lbs)	C890845	
40	40 cm (15.7 in)	100 cm (39.4 in)	47 kg (104 lbs)	C890846	
50	50 cm (19.7 in)	100 cm (39.4 in)	56 kg (124 lbs)	C890847	
60	60 cm (23.6 in)	100 cm (39.4 in)	66 kg (146 lbs	C890849	
70	70 cm (27.6 in)	100 cm (39.4 in)	76 kg (168 lbs)	C890851	
80	80 cm (31.5 in)	100 cm (39.4 in)	86 kg (190 lbs)	C890853	
90	90 cm (35.4)	100 cm (39.4 in)	96 kg (212 lbs)	C890855	
100	100 cm (39.4 in)	100 cm (39.4 in)	106 kg (234 lbs)	C890857	
Auger Drill w/tugsten teeth Rock Drill	Diameter	Length	Weight	Code	Price
15	15 cm (6 in)	100 cm (39.4 in)	20 kg (44 lbs)	C890880	
20	20 cm (7.9 in)	100 cm (39.4 in)	25 kg (55 lbs)	C890881	
25	25 cm (9.8 in)	100 cm (39.4 in)	30 kg (66 lbs)	C890882	
30	30 cm (11.8 in)	100 cm (39.4 in)	35 kg (77 lbs)	C890883	
35	35 cm (13.8 in)	100 cm (39.4 in)	40 kg (88 lbs)	C890884	
40	40 cm (15.7 in)	100 cm (39.4 in)	47 kg (104 lbs)	C890885	
50	50 cm (19.7 in)	100 cm (39.4 in)	56 kg (124 lbs)	C890886	
60	60 cm (23.6 in)	100 cm (39.4 in)	66 kg (146 lbs	C890888	
70	70 cm (27.6 in)	100 cm (39.4 in)	76 kg (168 lbs)	C890890	
80	80 cm (31.5 in)	100 cm (39.4 in)	86 kg (190 lbs)	C890892	
90	90 cm (35.4)	100 cm (39.4 in)	96 kg (212 lbs)	C890894	
100	100 cm (39.4 in)	100 cm (39.4 in)	106 kg (234 lbs)	C890896	
Auger Drill Extension	Diameter	Length	Weight	Code	Price
10	10 cm (4 in)	100 cm (39.4 in)	15 kg (33 lbs)	C890860	
15	15 cm (6 in)	100 cm (39.4 in)	20 kg (44 lbs)	C890861	
20	20 cm (7.9 in)	100 cm (39.4 in)	25 kg (55 lbs)	C890862	
25	25 cm (9.8 in)	100 cm (39.4 in)	30 kg (66 lbs)	C890863	
30	30 cm (11.8 in)	100 cm (39.4 in)	35 kg (77 lbs)	C890864	
35	35 cm (13.8 in)	100 cm (39.4 in)	40 kg (88 lbs)	C890865	
40	40 cm (15.7 in)	100 cm (39.4 in)	47 kg (104 lbs)	C890866	
50	50 cm (19.7 in)	100 cm (39.4 in)	56 kg (124 lbs)	C890867	
60	60 cm (23.6 in)	100 cm (39.4 in)	66 kg (146 lbs	C890869	
70	70 cm (27.6 in)	100 cm (39.4 in)	76 kg (168 lbs)	C890871	
80	80 cm (31.5 in)	100 cm (39.4 in)	86 kg (190 lbs)	C890873	
90	90 cm (35.4)	100 cm (39.4 in)	96 kg (212 lbs)	C890875	
100	100 cm (39.4 in)	100 cm (39.4 in)	106 kg (234 lbs)	C890877	

