

NEW Spit Pulsa 700E Cordless Gas Nailer for Electrical Contractors



The Pulsa 700E cable management fastening system - a secure and fast solution for fixing to concrete and steel

The tool offers new improved protection, ventilation, cooling: three essential ingredients for improving tool efficiency and lifetime.

The NEW Pulsa 700E has a completely redesigned front end and magazine which, together with new air inlet filters offers integrated protection from dust and debris. Plus, new ventilation grills have been added to help cool the tool, ideal for periods of intensive use. In combination, these new features can result in less tool maintenance, keeping you working longer.

Product Advantages

- Full range of Cable Management Accessories (see page 43 - 46)
- HC6 Hard Concrete & Steel Pins for improved success of fixing
- Improved performance, power, visibility and balance
- New PulsaLift Pole Tool for working at height
- New body armour to improve tool durability
- Improved air inlet and outlet filters to keep you working for longer
- Easy access depth of drive adjuster

Kit Contains

Spit Pulsa 700E Cordless Gas Nailer, high impact carry case, 2 x batteries as standard, battery charger, safety glasses to EN166:F, allen key and instruction manual

Substrates

- Concrete
- Composite steel decking
- Solid brick
- Pre-cast hollow pot
- Steel
- Pre-stressed concrete
- Hollow block wall
- Reinforced concrete
- Reinforced prefabricated concrete

Tool Specification

Weight	3.6kg
Dimensions	383 x 295 x 100mm
Magazine capacity	20 or 40 pin magazine option
Impact force	82J
Actuation pressure	5kg
Overdrive	4mm
Intermittent operation	2 pins per second
Fuel cell life	850 pins
Battery charge capacity	1,500 pins
Voltage	6V
Amperage	600mA
Charge time	1 hour
Max. number loads / unloads	1,000

Approvals



Applications



Cable Management

- Skirting and dado trunking systems
- Mini trunking systems
- Metal trunking systems
- Steel channel
- Low voltage cabling and temporary lighting
- Metal and plastic capping
- Fire resistant cabling systems (Prysmian)

Wiring Accessories

- Metal back boxes
- PVC - U back boxes
- PVC - U conduit
- Steel conduit
- Junction boxes
- Switch boxes
- Smoke detectors

NEW Spit Pulsa 700E Cordless Gas Nailer for Electrical Contractors

Eurocode	Description	Box Qty
010327	Pulsa 700E + 2 x Batteries	1

C6 Standard Concrete Pins




Designed for C25 Concrete for general fixing applications.

Eurocode	Description	Length	Collation Colour	Box Qty
046310	C6 20	20mm	Black	500
046320	C6 25	25mm	Black	500
046330	C6 30	30mm	Black	500
046340	C6 35	35mm	Black	500
046350	C6 40 FH	40mm	White	500

10 strip collation (suitable for use in 20 and 40 pin magazine) + 1 x Fuel Cell

HC6 Hard Concrete & Steel Pins



Recommended for fixing to Concrete above C25 and Steel substrates.

Eurocode	Description	Length	Collation Colour	Box Qty
053206	HC6 15	15mm	Orange	500
011876	HC6 17	17mm	Orange	500
011891	HC6 22	22mm	Orange	500
011877	HC6 27	27mm	Orange	500
053207	HC6 32	32mm	Orange	500

10 strip collation (suitable for use in 20 and 40 pin magazine) + 1 x Fuel Cell

Spit Pulsa 700E Pin Selection Guide

Steel	HC6 15 - 17mm	HC6 15 - 17mm	HC6 15 - 17mm	HC6 15 - 17mm	HC6 15 - 17mm	HC6 17 - 22mm	HC6 15mm	HC6 15mm	HC6 15mm	HC6 15mm	HC6 15mm	HC6 15mm
Hard Concrete	HC6 17 - 22mm	HC6 22mm	HC6 17 - 22mm	HC6 17 - 22mm	HC6* 17 - 22mm	HC6 22mm	HC6 15 - 17mm	HC6 15 - 17mm	HC6* 15 - 17mm	HC6 15 - 17mm	HC6* 15 - 17mm	HC6 15 - 17mm
Concrete & Brick	HC6 22 - 27mm	HC6 27mm	HC6 22 - 27mm	HC6 22 - 27mm	HC6* 22 - 27mm	HC6 27 - 32mm	HC6 17 - 22mm	HC6 17 - 22mm	HC6* 17 - 22mm	HC6 17 - 22mm	HC6* 17 - 22mm	HC6 17 - 22mm
	C6 25 - 30mm	C6 30 - 35mm	C6 25 - 30mm	C6 25 - 30mm	C6* 25 - 30mm	C6 30 - 35mm	C6 20 - 25mm	C6 20 - 25mm	C6* 20 - 25mm	C6 20 - 25mm	C6* 20 - 25mm	C6 20 - 25mm

*Site test recommended. Call the Technical Help Line: 0800 7314924

**Threaded Rod maximum length 600mm

C6 Standard Concrete Pins

C6 all-purpose pins for concrete applications

From sizes 20 - 40mm

Designed for use in standard applications. Identified by their black collation that remains intact when fixed.

HC6 Hard Concrete & Steel Pins

HC6 pins for hard concrete and steel applications

From sizes 15 - 32mm

Designed to increase success rate in substrates with higher aggregate content. Identified by their orange collation that remains intact when fixed.

Spit Pulsa 700E Pins for Specialist Applications

Standard Concrete Pins, Flush Head



Standard Concrete pins, with collation that fragments on impact to leave the pin 'flush' to the fixed article.

Eurocode	Description	Length	Collation Colour	Box Qty
011225	C6 20 FH	20mm	White	500
011853	C6 25 FH	25mm	White	500
011860	C6 30 FH	30mm	White	500
046350	C6 40 FH	40mm	White	500

10 strip collation (suitable for use in 20 and 40 pin magazine) + 1 x Fuel Cell

Hard Concrete & Steel Pins, Flush Head



Hard Concrete and Steel pins, with collation that fragments on impact to leave the pin 'flush' to the fixed article.

Eurocode	Description	Length	Collation Colour	Box Qty
011885	HC6 15 FH	15mm	White	500
053893	HC6 17 FH	17mm	White	500
053204	HC6 22 FH	22mm	White	500
053205	HC6 27 FH	25mm	White	500

10 strip collation (suitable for use in 20 and 40 pin magazine) + 1 x Fuel Cell

Standard Concrete Pins, Soft Washered



Standard Concrete pins for fixing brittle articles. The collation cushions the head of the pin to reduce impact.

Eurocode	Description	Length	Collation Colour	Box Qty
046610	CG6 20	20mm	White Washered	500
046620	CG6 25	25mm	White Washered	500
011211	CG6 30	30mm	White Washered	500
011212	CG6 35	35mm	White Washered	500

10 strip collation (single shot only - cannot be used in magazine) + 1 x Fuel Cell

Steel Pin, Soft Washered



Hard Concrete and Steel pins for fixing brittle articles. The collation cushions the head of the pin to reduce impact.

Eurocode	Description	Length	Collation Colour	Box Qty
011210	HCG6 15	15mm	White Washered	500

10 strip collation (single shot only - cannot be used in magazine) + 1 x Fuel Cell

Steel Pins, Flush Head



Steel Pins with collation that fragments on impact to leave the pin 'flush' to the fixed article.

Eurocode	Description	Length	Collation Colour	Box Qty
053203	FH SC6 15	15mm	White	500

10 strip collation (suitable for use in 20 and 40 pin magazine) + 1 x Fuel Cell

Steel Pins



Designed for fixing into steel.

Eurocode	Description	Length	Collation Colour	Box Qty
046300	SC6 15	15mm	Black	500
011226	SC6 20	20mm	Black	500

10 strip collation (suitable for use in 20 and 40 pin magazine) + 1 x Fuel Cell

Spit Pulsa 700E Cable Management Accessories

Product Range - E Clip Conduit Clip



The E Clip Conduit Clip is designed to clip easily onto the Pulsa 700E pin guide from the side, allowing a one handed operation. The E Clip is available in both black and grey.

Eurocode	Description	Pipe / Conduit Diameter	Box Qty
565031	Grey Conduit Clip	16mm	125
565032	Grey Conduit Clip	20mm	100
565033	Grey Conduit Clip	25mm	100
565034	Grey Conduit Clip	32mm	50
565035	Grey Conduit Clip	40mm	50
565036	Grey Conduit Clip	50mm	50
565532	Black Conduit Clip	20mm	100
565533	Black Conduit Clip	25mm	100

Product Range - ECAV Assembled E Clip



The ECAV Assembled E Clip is designed to clip easily onto the Pulsa 700E pin guide allowing a one handed operation. After the base unit has been installed, the pipe and the lid unit simply push fit for a fast enclosed installation of either conduit or pipe work.

Eurocode	Description	Pipe / Conduit Diameter	Box Qty
565502	ECAV Assembled E Clip	12 - 16mm	100
565503	ECAV Assembled E Clip	14 - 23mm	100
565504	ECAV Assembled E Clip	20 - 25mm	100

Product Range - P Clips for Conduit and Pipe Work




The P Clip is designed to fasten conduit and pipe work, primarily to the floor and walls. Made from impact resistant polypropylene, it offers a lower cost option to metal clips, will not corrode, and will allow pipes to expand and contract. Both single and double P Clips are available.

Eurocode	Description	Pipe / Conduit Diameter	Box Qty
565080	Grey Single P Clip*	16mm	150
565081	Grey Single P Clip*	18mm	125
565082	Grey Single P Clip*	20mm	100
565083	Grey Single P Clip*	22mm	100
565084	Grey Single P Clip*	25mm	75
565085	Grey Double P Clip*	16mm	75
565086	Grey Double P Clip*	20mm	50
565087	Grey Double P Clip*	22mm	50

*Site test recommended. Call the Technical Help Line: 0800 7314924

Product Range - NEW Steel P Clips for Conduit and Pipe Work



The Steel P Clip is designed to fasten conduit and pipe work.

Eurocode	Description	Pipe / Conduit Diameter	Box Qty
016983	Steel Single P Clip*	6mm	300
016984	Steel Single P Clip*	8mm	300
016985	Steel Single P Clip*	10mm	300
016988	Steel Single P Clip*	16mm	150
016990	Steel Single P Clip*	20mm	150
016991	Steel Single P Clip*	22mm	100
016993	Steel Single P Clip*	25mm	100
016994	Steel Single P Clip*	28mm	100
016995	Steel Single P Clip*	32mm	100

*Site test recommended. Call the Technical Help Line: 0800 7314924

Product Range - Universal Conduit and Pipe Clip



The Universal Conduit and Pipe Clip allows a range of different pipe and conduit sizes to be fastened. It is made from a high impact polyamide that is both halogen free and UV resistant. The clip is self locking as the pipe or conduit is installed and is tamper evident.

Eurocode	Description	Pipe / Conduit Diameter	Box Qty
921445	Black Universal Clip*	15 - 16mm	100
921446	Black Universal Clip*	18 - 20mm	100
921447	Black Universal Clip*	22 - 25mm	100

*Site test recommended. Call the Technical Help Line: 0800 7314924

Product Range - Futurfix Pipe Clamp with EPDM insert (to be installed using CG6 nail range)



The Futurfix Pipe Clamp is designed to fasten hot and cold pipes and conduit. The EPDM (DIN4109) rubber insert both insulates and reduces rattle. Installed using the CG6 soft washered pin, two adjacent clips can be fastened with one fixing and pipes can be easily repaired in situ.

Eurocode	Description	Pipe / Conduit Diameter	Box Qty
921442	Futurfix Pipe Clamp*	15mm	50
921443	Futurfix Pipe Clamp*	22mm	50
921444	Futurfix Pipe Clamp*	28mm	50

*Site test recommended. Call the Technical Help Line: 0800 7314924

Spit Pulsa 700E Cable Management Accessories

Product Range - Clip Elec All-Purpose Cable Tie Clips



The Clip Elec All-Purpose Cable Tie Clip can be used for cable, conduit and pipe work. It is for use with cable ties (not included).

Eurocode	Description	Cable Tie Capacity	Box Qty
011203	Clip Elec All-purpose Cable Tie*	9mm	100

*Cable tie not included

Product Range - CT Clip



The CT Clip is pre-assembled with a cable tie, and clips easily onto the Pulsa 700E pin guide allowing a one handed operation. It can hold pipes, cable and conduit up to 32mm in diameter. It can be used in temperatures down to -5°. It is also fire rated to UL94HB. It is available in both black and grey.

Eurocode	Description	Pipe / Conduit Diameter	Box Qty
565508	Grey Cable Tie Clip	16 - 32mm	100
565509	Black Cable Tie Clip	16 - 32mm	100

Product Range - NEW Improved Cable Bow Fixing



The Cable Bow is designed for use with low voltage cables, replacing the need for cable and basket trays. Both single and double cable bows are available.

Eurocode	Description	Fixing Capacity	Box Qty
565915	Single Cable Bow	8 Cables (3 x 1.5mm ²)	50
565917	Single Cable Bow Flame Retardant	8 Cables (3 x 1.5mm ²)	50
565916	Double Cable Bow	16 Cables (3 x 1.5mm ²)	25
565918	Double Cable Bow Flame Retardant	16 Cables (3 x 1.5mm ²)	25

Product Range - Threaded Rod Hanger



The Threaded Rod Hanger fits onto the Pulsa 700E pin guide allowing a one handed operation. The unique design enables the quality of fixing to be tested during the application as the clip is bent into place. Threaded rod of no more than 600mm, chain or suspension cables can be hung from the clip.

Eurocode	Description	Thread Diameter	Box Qty
011430	Threaded Rod Hanger*	M6 - M8	100
011431	Threaded Rod Hanger*	M8 - M10	100

*Site test recommended. Call the Technical Help Line: 0800 7314924

Spit Pulsa 700E Cable Management Accessories

Product Range - NEW Prysmian Firefix™



Unique cable fixing from Prysmian, used to fix fire performance cables ten times quicker than conventional methods. Both single and double clips are available.

Eurocode	Description	Box Qty
921622	Firefix™ Single Clip	500
921623	Firefix™ Double Clip 02 Size	200
921624	Firefix™ Double Clip 04 Size	200

N.B Other sizes available direct from Prysmian 0845 7678345

Product Range - All-Purpose Steel Band



Versatile All-Purpose Steel Band can be cut to any length.

Eurocode	Description	Width x Length	Box Qty
064320	All-purpose Steel Band	12mm x 10 metres	1
064340	All-purpose Steel Band	17mm x 10 metres	1

Product Range - Steel Washer for use with Magnetic Pin Guide



25mm Steel Washer, to be used with magnetic pin guide, code 333700.

Eurocode	Description	Diameter	Box Qty
011204	Steel Washer	25mm	1,000
333700	Magnetic Pin Guide	N/A	1

