

## NEW Spit Pulsa 700P Cordless Gas Nailer for Dry Wall Contractors



### The fastest method of fixing for drywall contractors - a secure and fast solution for fixing to concrete and steel

The Pulsa 700P offers NEW improved protection, ventilation, cooling: three essential ingredients for improving tool efficiency and lifetime.

The tool has a completely redesigned front end and magazine which, together with new air inlet filters offer integrated protection from dust and debris. Plus, new ventilation grills have been added to help cool the tool, ideal for periods of intensive use. In combination, these new features can result in less tool maintenance, keeping you working longer.

### Product Advantages

- HC6 Hard Concrete & Steel Pins for increased stress at fixing
- Improved visibility for easy more precise fixing
- Improved air inlet and outlet filters to keep you working for longer
- Improved performance, power, visibility and balance
- New body armour to improve tool durability
- Easy access depth of drive adjuster

### Kit Contains

Spit Pulsa 700P Cordless Gas Nailer with 20 or 40 nail magazine, high impact carry case, 2 x batteries as standard, battery charger, safety glasses to EN166:F, allen key and instruction manual

### Substrates

- Concrete
- Composite steel decking
- Solid brick
- Pre-cast hollow pot
- Steel
- Pre-stressed concrete
- Hollow block wall
- Reinforced concrete
- Reinforced prefabricated concrete

### Tool Specification

Weight	3.6kg
Dimensions	383 x 295 x 100mm
Magazine capacity	20 or 40 pin magazine option
Impact force	100J
Actuation pressure	5kg
Overdrive	4mm
Intermittent operation	2 pins per second
Fuel cell life	650 pins
Battery charge capacity	1,500 pins
Voltage	6V
Amperage	600mA
Charge time	1 hour
Max. number loads / unloads	1,000

### Approvals



### Applications




- Fixing drywall track systems to concrete, masonry, block and structural steel
- Fixing timber up to 27mm thick to concrete, brick, block and structural steel
- Fixing fire protection systems to steel
- Fixing angles to concrete, brick, block and structural steel
- Fixing EML to concrete, brick, block and structural steel (using 25mm steel washers and magnetic pin guide)

## NEW Spit Pulsa 700P Cordless Gas Nailer for Dry Wall Contractors

Eurocode	Description	Box Qty
010328	Pulsa 700P (20 Pin Magazine) + 2 x batteries	1
010342	Pulsa 700P (40 Pin Magazine) + 2 x batteries	1

### C6 Standard Concrete Pins




Designed for C25 Concrete for general fixing applications.

Eurocode	Description	Length	Collation Colour	Box Qty
046310	C6 20	20mm	Black	500
046320	C6 25	25mm	Black	500
046330	C6 30	30mm	Black	500
046340	C6 35	35mm	Black	500
046350	C6 40 FH	40mm	White	500

10 strip collation (suitable for use in 20 and 40 pin magazine) + 1 x Fuel Cell

### HC6 Hard Concrete & Steel Pins



Recommended for fixing to Concrete above C25 and Steel substrates.

Eurocode	Description	Length	Collation Colour	Box Qty
053206	HC6 15	15mm	Orange	500
011876	HC6 17	17mm	Orange	500
011891	HC6 22	22mm	Orange	500
011877	HC6 27	27mm	Orange	500
053207	HC6 32	32mm	Orange	500

10 strip collation (suitable for use in 20 and 40 pin magazine) + 1 x Fuel Cell

### Spit Pulsa 700P Pin Selection Guide

							
<b>Steel</b>	<b>HC6</b> 15mm	<b>HC6</b> 15mm	<b>HC6</b> 17mm	<b>HC6</b> 22mm	<b>HC6</b> 27mm	<b>HC6</b> 32mm	<b>HC6</b> 15mm
<b>Hard Concrete</b>	<b>HC6</b> 17mm	<b>HC6</b> 17mm	<b>HC6</b> 22 - 27mm	<b>HC6</b> 27mm	<b>HC6</b> 32mm	-	<b>HC6</b> 15 - 17mm
<b>Concrete &amp; Brick</b>	<b>HC6</b> 17 - 22mm	<b>HC6</b> 22 - 27mm	<b>HC6</b> 27 - 32mm	<b>HC6</b> 32mm	<b>HC6</b> -	<b>HC6</b> -	<b>HC6</b> 17 - 22mm
	<b>C6</b> 20 - 25mm	<b>C6</b> 25mm	<b>C6</b> 25 - 35mm	<b>C6</b> 35mm	<b>C6</b> 35 - 40mm	<b>C6</b> 40mm	<b>C6</b> 20 - 25mm

### C6 Standard Concrete Pins

#### C6 all-purpose pins for concrete applications

##### From sizes 20 - 40mm

Designed for use in standard applications. Identified by their black collation that remains intact when fixed.

### HC6 Hard Concrete & Steel Pins

#### HC6 pins for hard concrete and steel applications

##### From sizes 15 - 32mm

Designed to increase success rate in substrates with higher aggregate content. Identified by their orange collation that remains intact when fixed.

## Spit Pulsa 700P Pins for Specialist Applications

### Steel Pins



Designed for fixing into steel.

Eurocode	Description	Length	Collation Colour	Box Qty
046300	SC6 15	15mm	Black	500
011226	SC6 20	20mm	Black	500

10 strip collation (suitable for use in 20 and 40 pin magazine) + 1 x Fuel Cell

### Product Range - Steel Washer for use with Magnetic Pin Guide



25mm Steel Washer, to be used with magnetic pin guide, code 333700, for fixing metal lathe.

Eurocode	Description	Diameter	Box Qty
011204	Steel Washer	25mm	1,000
333700	Magnetic Pin Guide	N/A	1