


GT950

<http://tiny.cc/multioneGT950EN>


Tires size	Width
27x8.50-15	1070 mm (42.1 in)
26x12.00-12	1290 mm (50.8 in)
29x12.50-15	1450 mm (57.1 in)
31x15.50-15	1490 mm (58.7 in)



Model	GT950
Engine	Yanmar 4TNV88
Power (Iso Gross)	50 HP / 37 kW
Fuel	Diesel
Transmission	Hydrostatic
Drive speed (max.) - 2 speed	12-25 km/h (7,5-15.5 mph)
Aux. hydraulics oil flow	85 l/min (22.5 gal/min)
Max. lifting height	3,15 m (124 in)
Max. lifting capacity (w/backweights)	1960 kg (4321 lbs)
Breakout force / 50 cm (19.7 in)	1600 kg (3530 lbs)
Pushing force (c)	1750 kgf (1750 kp)
Specific ground pressure (w/standard tires)	765 kg/m ² (1686 lbs/sqft)
Turning radius: inside/outside	1000/2490 mm (39.4/98 in)
Standard tires (Tractor profile)	31x15.50-15 (400/50-15)
Length	2900 mm (114.2 in)
Height	2176 mm (85.7 in)
Weight	1675 kg (3693 lbs)
Product Code	C980000
Price	Get a Quote



GT950 FEATURES AND OPTIONS

- 4WD hydrostatic Direct Drive motors, proportional servo
- DBS (Dynamic Block System)
- Hydraulic oil cooler
- Hydraulic multiconnector
- Self-levelling double-H telescopic boom
- 11-functions joystick
- ROPS-FOPS Level I
- LCD graphic display with programmed service (tachometer, hour meter, fuel gauge, maintenance light, light indicator and other 14 indicators)
- 2 front working light
- Ergonomic full adjustable suspension seat with armrests and safety belt.
- Tipping sensor
- Multi-disk parking brake

Suggested configurations	Description	Price
PRIME	Self-levelling	Get a Quote
WINTER	Self-levelling, floating boom valve, Luxury cab (glass) with heating system, heated seat, inner clothing, engine block heater	Get a Quote
ON-ROAD	Self-levelling, floating boom valve, road lights, trailer coupling	Get a Quote
DELUXE	Self-levelling, floating boom valve, Luxury cab (glass) with heating system, automatic locking/unlocking plate	Get a Quote

GT950 FEATURES AND OPTIONS

Options	Code	Price
Self-levelling kit	C885030	Get a Quote
Floating boom valve	C885024	Get a Quote
Luxury cabin (glass) with heating system	C885003	Get a Quote
Heating system	C885001	Get a Quote
Smart cabin	C885043	Get a Quote
Road lights	C885032	Get a Quote
Automatic locking plate	C885038	Get a Quote
Attachment coupling plate for rear mounting	C880031	Get a Quote
Multi connector "After Market" assembling	C880217	Get a Quote
3 lines multiconnector kit, to old quick coupling	C880221	Get a Quote
Heated seat	C885015	Get a Quote
Trailer coupling	C885017	Get a Quote
Integrated backweight 100 kg (220 lbs)	C885031	Get a Quote
Additional backweights 440 kg (970 lbs)	C885025	Get a Quote
Driver area cover	C880049	Get a Quote
FOPS front end protection, level 1	C885021	Get a Quote
FOPS, level 1 for glass roof cabin (old model)	C885018	Get a Quote
Inner clothing for cabin	C885040	Get a Quote
Air conditioning	C885036	Get a Quote
Left protection bar for operator	C885009	Get a Quote
Rear hydraulic outlets	C885252	Get a Quote
Torque divider	C885253	Get a Quote
Skid profile tires 27x8.50-15, set of 4	C885210	Get a Quote
Turf profile tires 29x12.50-15, set of 4	C885212	Get a Quote
Wheel spacer 10 mm (2.2 in), max 1 pc for wheel	C880090	Get a Quote
Snow chains for wheels, 31x15.50-15, set of 2	C880044	Get a Quote
Snow chains for wheels 27x8.50-15, set of 2	C880045	Get a Quote
Engine block heater 220 V	C885250	Get a Quote
Engine block heater 110 V	C885255	Get a Quote
Back up alarm	C883021	Get a Quote